

COVID-19 DEATHS 17,594

COVID-19 CASES 879,102

滴

COVID-19 VACCINES 5,824,113

NEW This Week...

Need a smaller amount of Pfizer? Contact your county!

- You can now order Moderna, J&J and *Pfizer* from ASIIS.
 - You'll need to select adult or pediatric presentation in ASIIS because of the ancillary kit supplies:

Adult Kit

- 85 needles (22-25G x 1")
- 20 needles (22-25G x 1.5")
- 105 syringes (1 mL or 3 mL)
- 210 alcohol pads
- 100 vaccination record cards
- 1 needle gauge and length chart
- 2 face shields
- 4 surgical masks

Pediatric Kit

- 105 needles (25G x 1")
- 105 syringes (1 mL or 3 mL)
- 210 alcohol pads
- 100 vaccination record cards
- 1 needle gauge and length chart
- 2 face shields
- 4 surgical masks

Mixed Kit (Pediatric/Adult)

- 95 needles (25G x 1")
- 10 needles (22-25G x 1.5")
- 105 syringes (1 mL or 3 mL)
- 210 alcohol pads
- 100 vaccination record cards
- 1 needle gauge and length chart
- 2 face shields
- 4 surgical masks

NEW This Week...

Updated information for authorized age groups to include vaccination of adolescents ages 12-15 years with Pfizer-BioNTech COVID-19 vaccine.

- COVID-19 vaccines (Pfizer-BioNTech, Moderna, or Janssen) may now be administered simultaneously with other vaccines or at different times without regard to timing between the different vaccines.
- Multisystem inflammatory syndrome in children (MIS-C) or in adults (MIS-A): people with a history of MIS-C or MIS-A should consider delaying COVID-19 vaccination until they have recovered from their illness and for 90 days after the date of diagnosis of MIS-C or MIS-A.
- Clarification on contraindications and precautions: known polysorbate allergy is no longer a contraindication to mRNA vaccination; rather, it is a precaution.

https://www.cdc.gov/vaccines/covid-19/info-by-product/clinicalconsiderations.html?utm_medium=email&utm_source=govdelivery

someone on call at a specific time or setting up a time to interact with patients and families via web conference call or on a livestream to share key messages about

- Contact long term care facilities to see if they have new staff or new residents that nee Offer virtual "office hours" for patients who want to ask questions. This could be
- being vaccinated) to use as many vaccine doses as possible
- membership or network to arrange vaccination events Contact additional persons (i.e., from a waitlist or through personal contacts of person
- Conduct outreach to employers or other community partners that have a large
- they are not established patients at the vaccinating practice
- Vaccinate family members or friends who accompany patients to medical visits even if
- Pull a reminder recall report in ASIIS to see who needs 2nd doses (for Pfizer and
- est Practice Find patients to give the doses to
- Janssen expiration date site
- pfizer expiration date is on tray/vial
- Moderna expiration date site
- The expiration dates may be extended as vaccines are studied. Check the lot number c the manufacturer site for current/updated expiration dates.
- Example- Once Moderna/Pfizer doses are placed in the refrigerator they must t used within 30 days, regardless of the original expiration date published online Once doses have been refrigerated, they cannot be re-frozen
- Determine the updated expiration date based on the cold storage unit type
- Keep the vaccine stored at the proper temperatures

What should you do?

You have excess COVID-19 vaccine inventory (i.e. inventory that will expire prior to use)

Immunization Program

baolth.g

ARIZONA DEPARTMENT OF HEALTH SERVICES Health and Wellness for all Aria

> COVID-19 Vaccine Wastage

Pfizer Continues to get easier...

STILL two weeks in the freezer
IF UN-DILUATED – 30 days in the refrigerator



Tips from a Vaccinating Practice



Group Sharing

Link to register: https://us02web.zoom.us/webinar/register/WN_zUZ7QtePR3KgFdVrSfT2-A



10 THINGS PARENTS NEED TO KNOW ABOUT WHY WE IMMUNIZE

Please join us virtually to refresh your knowledge of preventive health strategies, fundamentals of immunization, and the impact of vaccine as disease prevention.

June 3rd, 2021 12-1:30 pm For anyone who interacts with parents immunizing their kids: Health Educators, Social Workers, Medical Assistants, Vaccine Administrators, and more!









Please contact Laura Smith at LSmith<u>@tapi.org</u> for more information! Link to register: https://us02web.zoom.us/meeting/register/tZcvc-yurTlqGNeNjS043rLj-lfjkolNl057

T.I.P.S. VIRTUAL VACCINE CONVERSATIONS

Training on Immunization Practice Strategies (T.I.P.S.)

TAPI, in collaboration with the Arizona Department of Health Services Immunization Program, presents free trainings that improve public and private providers offices. Participants receive valuable information on immunization friendly office practices, vaccine handling, state requirements, how to give shots and the state immunization registry.

Plan to attend each session to be eligible fora FREE PRIZE!

*Shown in AZ Time

Whylmmunize.org

Schedule of Virtual Conversations

Training on Immunization Practice Strategies (T.I.P.S.) is a series of 5 sessions for medical assistants and vaccine coordinators.

Session #1 – Thursday, June 10th, 12:00-1:00 PM Why Vaccines are Important: Protecting Herd Immunity Session #2 - Thursday, June 24th, 12:00-1:00 PM Vaccine Basics and Understanding the ACIP Schedule Session #3 – Thursday, July 8th, 12:00-1:00 PM Protecting the Cold Chain and Preparing for Patients Session #4 – Thursday, July 22nd, 12:00-1:00 PM **Empowering Patients and Administering Vaccines** Session #5 – Thursday, August 5th, 12:00-1:00 PM **Best Practices for Immunization Delivery in Arizona**

> **Register ONCE & you can** attend ALL SESSIONS!

REGISTER NOW! >

For more information, visit www.WhyImmunize.org or call 602.288.7568

See You Next Thursday for "10 Things Training" at 12:00pm!





EVALUATION

Tell us how we can improve



EMAIL US We are here to help you all!

TAPIadmin@tapi.org

