**Training on Immunization Practice Strategies** 

TIPS

 $\mathbf{X}$ 

The Arizona Partnership for Immunization

WhyImmunize.org

4

## **Team-Based Care**

August 18, 2022

\*

# POLL. BACK 2 SCHOOL

X

\*

0

×.

¥

\*

\*

How's it going?



## **PUBLIC HEALTH UPDATE**

#### Monkeypox

- General update
- Testing

#### COVID-19

 $\bigstar$ 

- General update
- Omicron Booster
- Updated CDC masking/ quarantine guidance



# POLL. COVID-19 VACCINE

X

\*

\*

0

×

Are you offering to babies & kids?

# **BABY COVID VACCINES**

0

Moderna - 6 months through 5 years Pfizer - 6 months through 4 years

## MODERNA <u>6 Months Through 5 Years of Age</u>



- 2 doses 4-8 weeks apart
- Moderately or Severely
  Immunocompromised
  - 2 doses 4 weeks apart

 $\mathbf{+}$ 

- Vaccine Vial Cap
  - Dark Blue
- Label Boarder
  - Magenta
- No Dilution
- 0.25mL

## MODERNA

## **CHILDREN WHO TURN FROM AGE 5 TO AGE 6**

 $\mathbf{\star}$ 

 $\mathbf{A}$ 

\*

 $\mathbf{+}$ 

#### **DOSE | AT AGE 5**



**Blue Cap/Magenta Boarder** Vial for Children 6 months to 5 years

4 - 8 WEEKS APART



### DOSE 2 AT AGE 6



Dose 2 at age 6 **Dark Blue Cap/Purple Boarder** Vial for Children 6 to 11 years

## FOR CHILDREN WHO TRANSITION FROM A Younger to older Age group

www.cdc.gov/vaccines/covid-19/downloads/Moderna-Child-Age-Transition-508.pdf

1

X

\*

X

X

## PFIZER 6 MONTHS THROUGH 4 YEARS OF AGE



#### • 3 doses

- 3 8 weeks between dose 1 & 2
- 8 weeks between dose 2 & 3
- Moderately to Severely Immunocompromised
  - 3 weeks between dose 1 & 2
  - Vaccine Vial Cap Maroon
  - Label Boarder Maroon Dilution Required
    - 2.2mL 0.9% Sodium Chloride
  - 0.2ml





## **EVERYTHING COVID VACCINE...**

COVID-19 coronavirus Vaccine

hulun

## COVID-19 VACCINE INFO

Interim Clinical Considerations for Use of COVID-19 Vaccines | CDC

https://www.cdc.gov/vaccines/covid-19/clinical-considerations/covid-19vaccines-us.html

\*

X

X

## **NOVAVAX COVID-19 VACCINE**

NOVAVAX

COVID - 19

Coronavirus

/accine

**COVID** - 19

Coronavirus

COVID - 19

Coronavirus

Vaccine

COVID - 19

Coronavirus

Vaccine

- 18 Years of Age and Older
- 2 Doses 8 Weeks Apart

╈

 $\mathbf{t}$ 

- Refrigerator Storage or
  - Once punctured between 36 77 degrees
    Fahrenheit for 6 Hours
- Swirl, DO NOT SHAKE
- 0.5mL Administered Intramuscular (IM)
- Primary Series are not Eligible for Booster Doses (any product)

## **OTHER REMINDERS**

 $\bigstar$ 

\*

\*

\*

Vaccine Matchmaker App ( $\leq$  100 doses)

VFC re-enrollment is open now: Must re-enroll by August 31, 2022

New Incident Reporting

## Will it fit?







## **Connecting to the why** Every day you save lives. You prevent disease.

44

mannan and



\*



X

\*

## **INFLUENZA PARTICLES**

\*







≯

¥

## **HEPATITIS B**

\*



\*





×

\*



\*

#### First Polio Case in Nearly a Decade Is Detected in New York State

A man who lives in Rockland County was infected by someone who received the oral polio vaccine, which is no longer used in the United States, officials said.

🛱 Give this article 🔗 🗍

\*



This 1964 microscope image shows damage from the polio virus to human spinal cord tissue. CDC, via Associated Press

By Hurubie Meko Published July 21, 2022 Updated July 25, 2022

A case of polio has been identified in an unvaccinated adult man in Rockland County. officials said.

#### Polio Has Been Detected in New York City Wastewater, Officials Say

The detection of the virus in sewage suggests it is circulating in the city, Health Department officials said.

🛱 Give this article 🔗 🗍 🗔 358



A pop-up vaccination clinic was opened in Rockland County, N.Y., where a polwas detected earlier this summer. Health authorities have urged people who a vaccinated against polio to get immunized. Victor J. Blue for The New York Times



Published Aug. 12, 2022 Updated Aug. 13, 2022

Polio outbreaks incited regular panics decades ago, until a was developed and the disease was largely eradicated. Th Friday, New York City health authorities announced that t found the views in wastewater complex suggesting policy.

#### The New York Times

#### The Fight Against Polio

The highly contagious virus was one of the most feared diseases until the 1950s, when the first vaccine was developed.

- New York Case: Officials in a <u>New York suburb</u> reported a case of polio in an unvaccinated adult man in July — <u>the first U.S. case in nearly a decade</u>.
- A Multibilion-Dollar Effort: A partnership of national governments and health organizations has a plan to rid the world of polio by 2026, which is now endemic in just two countries.
- Major Obstacles: Two of the three strains of polio have been eliminated from the Earth. But new barriers to full eradication keep cropping up.
- Childhood Vaccinations Drop: A sharp decline in childhood vaccinations around the world during the coronavirus pandemic — including those for polio — could threaten the lives of millions of children.









★



X

\*





≯

\*



## **DIPTHERIA**

 $\bigcap$ 

\*





\*

\*

 $\mathbf{M}$ 







## **TETANUS**

≯

\*



 $\bigcap$ 

\*

\*



## **HEPATITIS A**

\*

\*



\*



5

\*

\*

## VARICELLA

≯

\*





\*

\*



\*

\*

## PERTUSSIS

 $\bigcirc$ 



\*

\*

X



## **MEASLES**

#### Zimbabwe Measles Outbreak Blamed on Sect Gatherings Kills 157 Children

By <u>Reuters</u> Aug. 16, 2022, at 1:04 p.m.

🕥 Save ( f) 🕑 🔽 💬

X

\*

HARARE (Reuters) - A measles outbreak in Zimbabwe has killed 157 children with the death





# WHY?

What you do EVERY DAY is important and saves lives.

## WHAT IS TEAM-BASED CARE?

The provision of **comprehensive health services** to individuals, families, and/or their communities by at least two health professionals who **work collaboratively** along **with patients**, family caregivers, and community service providers on **shared goals** within and across settings to achieve care that is safe, effective, patient-centered, timely, efficient, and equitable.

 $\mathbf{t}$ 

5.

[Source: Naylor MD, Coburn KD, Kurtzman ET, et al. Team-Based Primary Care for Chronically III Adults: State of the Science. Advancing Team-Based Care. Philadelphia, PA: American Board of Internal Medicine Foundation; 2010.]





#### FIGURE 1. TEAM-BASED CARE ROLES

\*

\*



\*

\*



## **EVERYONE SHOULD DO THIS...**

- Practice open communication internally
- Intentionally consider patient experience
- Training onboarding and ongoing
- Let the data drive decisions
- Remember evidence-based interventions
- Family-centered, culturally appropriate care

How does your clinic's immunization process look to your patients?



# TRAINING Not Just You.

Onboarding, annually, when new vaccines are added to schedule, when schedule changes

# DATA-DRIVEN DECISIONS **RUN REPORTS.** LOOK AT THEM. **DO SOMETHING ABOUT IT.**

 $\mathbf{+}$ 



## **EVIDENCE-BASED INTERVENTIONS**

- Reminder recall
- Data quality in ASIIS & EMR
- Standing orders
- Strong provider recommendation
- Screening at all visits (sick & well)

## Family-centered, culturally appropriate care



## **IO THINGS PARENTS NEED TO KNOW**

#### About Why We Immunize



Sept. 1 12:00 – 1:30 PM

#### **Register Now!**

https://us02web.zo om.us/webinar/re gister/WN\_k-1Y2fzjTVuL4oJh2X NmMA

#### 10 THINGS PARENTS NEED TO KNOW ABOUT WHY WE IMMUNIZE

Please join us virtually to refresh your knowledge of preventive health strategies, fundamentals of immunization, and the impact of vaccine as disease prevention.

For anyone who interacts with parents immunizing their kids: School Nurses, Health Educators, Social Workers, Medical Assistants, Vaccine Administrators, and more!

#### **REGISTER HERE!**

Please contact Laura Smith at <u>LSmith@tapi.org</u> for more information!

# **THANK YOU!**

Sept

To download slides & view the video recording of today's training, visit: <u>https://whyimmunize.org/tapi-training</u>

CREDITS: This presentation template was created by **Slidesgo**, including icons by **Flaticon**, infographics & images by **Freepik**